
 | NON-COMMUNITY PUBLIC WATER SYSTEMS IN INDIANA |
 | == QUARTERLY SITES FAILING TO MONITOR AND REPORT == |
==== FOR THE QUARTER 01/01/88 TO 03/31/88 ====

REPORT DATE: 05/16/88
 COUNTY: WAYNE

PAGE 1

THE FOLLOWING SITES DID NOT SUBMIT A DRINKING
 WATER SAMPLE ANALYSIS FOR THE QUARTER 01/01/88 TO 03/31/88

ID	SITE NAME / CONTACT PERSON	MAILING ADDRESS/ CITY, ZIP CODE	CLASS CODE	LAST BACT DATE	SAMPLE TYPE
2890862	Camp Clements, Inc. Owner or Operator	5291 Abington Pike Richmond 47374	0	05/12/87	N
2890863	Golden Years Mobil Home Park Owner or Operator	3241 Centerville Rd. Centerville 47330	0	06/20/87	N
2890864	Scott Boys Club Owner or Operator	Richmond 47374	0	05/27/87	N
2890865	Village Cadillac Real Mechanical	488 Gradle Drive Carmel 46032	0	07/20/87	N

NON-COMMUNITY PUBLIC WATER SYSTEMS IN INDIANA
 == QUARTERLY SITES FAILING TO MONITOR AND REPORT ==
 ==== FOR THE QUARTER 07/01/88 TO 09/30/88 ====

REPORT DATE: 10/17/88
 COUNTY: WAYNE

PAGE 1

THE FOLLOWING SITES DID NOT SUBMIT A DRINKING
 WATER SAMPLE ANALYSIS FOR THE QUARTER 07/01/88 TO 09/30/88

ID	SITE NAME / CONTACT PERSON	MAILING ADDRESS/ CITY, ZIP CODE	CLASS CODE	LAST BACT DATE	SAMPLE TYPE
2890008	Paul C. Garrison Elementary John N. Martin	4138 Niewoehner Richmond 47374	301	05/25/88	N
2890012	Northeast Wayne High School Jim George	Box 24 Fountain City 47341	301	05/25/88	N
2890016	Pershing Elementary School William Haler	P.O. Box 39 Pershing 47370	301	05/25/88	N
2890826	Northeastern Elementary Max Coddington	Box 23A Fountain City 47341	301	05/25/88	N
2890862	Camp Clements, Inc. Owner or Operator	5291 Abington Pike Richmond 47374	303	05/12/87	N
2890863	Golden Years Mobil Home Park Owner or Operator	3241 Centerville Rd. Centerville 47330	110	06/20/87	N
2890864	Scott Boys Club Campground Owner or Operator	1407 S. 7th Street Richmond 47374	106	06/01/88	n
2890866	Glen Miller Park Owner or Operator	Prat Road East Richmond 47374	413	04/13/88	N



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5

230 SOUTH DEARBORN ST.

CHICAGO, ILLINOIS 60604

REPLY TO THE ATTENTION OF:

5WD-TUB-9

CC

CERTIFIED MAIL P-759 141 121
RETURN RECEIPT REQUESTED

December 3, 1987

North East Wayne High School
c/o Mr. Jim George
P.O. Box 24
Fountain City, Indiana 47341

PWSID: 2890012

Dear Owner or Operator:

RE: Failure to Monitor and Report - Public Notification

We have not received the required routine bacteriological sample results from the N. E. Wayne High School water system for the calendar quarter of July-September, 1987.

The National Primary Drinking Water Regulations (NPDWR) require non-community public water systems to have routine water samples from their distribution system analyzed for coliform bacteria, and to report the results to the appropriate agency. We have not received the required results from your system for the period described.

Failure to perform the required sampling and reporting is a violation of the NPDWR. The law requires you to inform your customers of this discrepancy in meeting the national drinking water health standards. I have enclosed a sample public notice to assist you in preparing your notice. The notification must be posted in plain view of all persons served by the system until a satisfactory sample is reported to this office.

A copy of the public notice used, accompanied by a cover letter detailing means of notification, must be sent to Carlton D. Cuffman of the Drinking Water Section at the above address within 21 days of the date of this letter. If verification is not received within this deadline, it has been our policy to issue a press release concerning the violation.

You must also resume the required sampling immediately. Should the ownership of this water supply change hands for any reason, it is your responsibility to provide our office with the new owner's name, address and phone number. If compliance with all these provisions is not achieved and maintained, we will consider other enforcement actions, including civil litigation. If you have questions regarding these requirements, please contact Carlton D. Cuffman at (312) 886-6203.

Sincerely yours,

Richard Huddleston, P.E., Team Leader
Drinking Water Section, Compliance Team

Enclosure

cc: Arnie Viere, ISBH
~~Washington~~ County Health Department
Wayne

THIS IS A SAMPLE PUBLIC NOTIFICATION. PROVIDED FOR YOUR GUIDANCE

(Name of Facility) Fails to Meet Federal Drinking Water Standards

The (name of facility) failed to meet the monitoring and reporting requirements of the Federal drinking water regulations for the quarter of July to September 1987. We are required to have routine water samples from our distribution system analyzed for microbiological contamination. These analyses are necessary to assure that your drinking water consistently meets national health standards established by the U.S. Environmental Protection Agency.

We did not have the required sample analyzed during the period described. We regret this omission and will assure that required sampling and reporting of results to the EPA are performed in the future.

Signed: _____
(Name of facility)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5

230 SOUTH DEARBORN ST.

CHICAGO, ILLINOIS 60604

REPLY TO THE ATTENTION OF:

5WD-TUB-9
CDC

CERTIFIED MAIL P 670 702 760
RETURN RECEIPT REQUESTED

June 27, 1988

(CMRR) - P 670 702 760
PWSID 2890822

Roy & Alice's Market
c/o Ms. Alice Teter
P.O. Box 152
Pershing, Indiana 47310

Dear Owner or Operator:

Re: Failure to Monitor and Report - Public Notification

We have not received the required number of routine bacteriological sample results from your water system for the year 1987.

The National Primary Drinking Water Regulations (NPDWR) require public water systems to have routine water samples from their distribution system analyzed for coliform bacteria, and to report the results to the appropriate agency. We have not received the required results from your system for the period described.

Failure to perform the required sampling and reporting is a violation of the NPDWR. The law requires you to inform your customers of this discrepancy in meeting the national health standards. I have enclosed a sample public notice to guide you in preparing your notice. You may accomplish notification by either (1) direct distribution to each customer, or (2) posting the notice in a conspicuous location near your water system.

A copy of the public notice used, accompanied by a cover letter detailing means of notification, must be sent to Carlton D. Cuffman of the Drinking Water Section at the above address within 21 days of the date of this letter. If verification is not received within this deadline, it is our policy to issue a press release concerning the violation.

You must also resume the required sampling immediately. If compliance with all these provisions is not achieved and maintained, we will consider other enforcement actions, including civil litigation. Should the ownership of the water supply change hands for any reason, it is your responsibility to provide our office with the new owner's name, address and telephone number. If you have questions regarding these requirements, please contact Carlton D. Cuffman at (312) 886-6203.

Sincerely yours,

Richard Huddleston, P.E., Team Leader
Drinking Water Section, Compliance Team

Enclosure

cc: Arnie Viere, IDEM
Wayne County Health Department

THIS IS A SAMPLE PUBLIC NOTIFICATION. PROVIDED FOR YOUR GUIDANCE

(Name of Facility) Fails to Meet Federal Drinking Water Standards

The (name of facility) failed to comply with Federal drinking water standard for coliform bacteria for the year of 1987. We are required to have routine water samples from our distribution system analyzed for microbiological contamination. These analyses are necessary to assure that your drinking water consistently meets national health standards established by the U.S. Environmental Protection Agency. The coliform organism is used as an indicator of the microbiological quality of the drinking water. The presence of coliforms indicates possible contamination of the water by disease-causing organisms.

We are attempting to isolate and solve the problem by a thorough inspection of treatment facilities and sampling techniques. If necessary, a private engineering firm will be contacted to help solve the problem.

Signed: _____
(Name of facility)

NOTICE

If you feel that your facility does not qualify as a non-community water supply as defined by the criteria in the following paragraph, you should contact Carl Cuffman at (312) 886-6203 or your county health department. If any of the information in the address of the NOV is incorrect, you should contact Mr. Cuffman and give him the necessary corrections to make.

Monitoring for coliform bacteria at noncommunity drinking water supplies is a requirement of Federal law, the Safe Drinking Water Act of 1974. A noncommunity water supply is a source of drinking water from a well or surface water source which is available to the public. The "public" consists of 25 or more persons who have access to the water on a minimum of 60 occasions each year. The 25 persons can be the same group of people. In addition, they would not live at the site. Usage can occur during a continuous period of two months or on 60 different days throughout a calendar year. A restroom consisting of a commode and a sink constitutes a minimum facility subject to monitoring requirements. Any limited usage such as water used in the preparation of coffee served to the public also constitutes a NCWS subject to the same monitoring requirements.

On the other hand, if the appropriate number of samples were taken at your facility during the time period specified in the enclosed Notice of Violation (NOV), make copies of the laboratory analysis report, mark down the PWSID number from the first page of the NOV onto the slip copies, put the mail code '5WD-TUB-9 CDC' onto the envelope along with the address and mail them to the USEPA. Use the address from the letterhead on the first page of the NOV.

To start monitoring, you should contact your county health department for the name of a local certified laboratory in your area and the sampling. Do not send any water samples to the USEPA; we have no facilities available to analyze the samples. All costs for monitoring are to be paid by the facility operator.

Since the State of Indiana has not accepted the administration of the Safe Drinking Water Act of 1974, the United States Environmental Protection Agency (USEPA) initiated a noncommunity monitoring effort in Indiana in April 1987. Notices explaining the noncommunity program were mailed to all addresses of record during April and May 1987. If your facility meets the criteria explained in the second paragraph, monitoring for coliform bacteria is mandatory. We would be pleased to send you a copy of the report if you need further information for determining or clarifying your requirements. Until Indiana is certified to administer the Safe Drinking Water Act, the USEPA will continue to oversee the monitoring effort at Indiana's noncommunity water supplies.

If your system meets all of the requirements, you must comply with the enclosed NOV.

NON-COMMUNITY PUBLIC WATER SYSTEMS IN INDIANA
== ANNUAL SITES FAILING TO MONITOR AND REPORT ==
===== FOR THE YEAR 1987 =====

REPORT DATE: 01/13/88
COUNTY: WAYNE

PAGE 1

THE FOLLOWING SITES DID NOT SUBMIT A
DRINKING WATER SAMPLE ANALYSIS FOR 1987

ID	SITE NAME / CONTACT PERSON	MAILING ADDRESS/ CITY, ZIP CODE	CLASS CODE	LAST BACT DATE	SAMPLE TYPE
2890002	Radford's Slaughterhouse Sonja Lunsford	3414 Merkamp Road Centerville 47330	202	08/08/85	
2890007	Hillcrest Baptist Church Donna Girdley	3469 S.R. 38 North Richmond 47374	405	07/29/85	
2890017	Richmond Municipal Airport Phyllis Tyra	5169 S. S.R. 227 Richmond 47374	409	07/19/85	
2890018	Hagerstown Airport Marvin Stoller	49 East College Hagerstown 47346	409	07/15/85	
2890027	Stone Valley Christian Church James Smith, Pastor	P.O. Box 1552 Richmond 47375	405	09/03/85	
2890028	Forest Hills Country Club David Sayler	26195 23rd Street Richmond 47374	412	08/07/85	
2890038	Stop 1 Truck Plaza David Martin	R. R. 2, Box 200A Cambridge City 47327	406	07/15/85	
2890039	Road One Shell Gerald Riggle	R. R. 2 Cambridge City 47327	406	07/15/85	
2890043	Paul's Marathon Service Jim Charles	S. R. 38 Greensfork 47345	406	07/08/85	
2890252	Mountain Assembly Church/God Angie Engle	5172 U. S. 27 North Richmond 47374	405	08/22/85	
2890270	United Methodist Church Owner or Operator	Economy 47339	405	08/12/85	
2890280	Greensfork Christian Church Phillip Rowe	Box 144 Greensfork 47345	405	07/08/85	
2890283	New Garden Friends Church David Johns, Pastor	R. R. 1, Box 411 Fountain City 47341	405	08/20/85	
2890285	Whitewater Christian Church Steve Lane, Pastor	7918 North S. R. 227 Fountain City 47341	405	10/22/85	

 | NON-COMMUNITY PUBLIC WATER SYSTEMS IN INDIANA |
 | == ANNUAL SITES FAILING TO MONITOR AND REPORT == |
===== FOR THE YEAR 1987 =====

REPORT DATE: 01/13/88
 COUNTY: WAYNE

PAGE 2

THE FOLLOWING SITES DID NOT SUBMIT A
 DRINKING WATER SAMPLE ANALYSIS FOR 1987

ID	SITE NAME / CONTACT PERSON	MAILING ADDRESS/ CITY, ZIP CODE	CLASS CODE	LAST BACT DATE	SAMPLE TYPE
-----	-----	-----	-----	-----	-----
2890298B	Pow-Wow Ridge Campground John Horah	1610 Smyrna Road Richmond 47374	109	08/06/85	
2890299	Cherokee Campground Billy Ammerman	8659 McConaha Centerville 47330	109	08/22/85	
2890802	Hartman's Market John Abell	Greensfork 47345	410	08/27/85	
2890803	Dearing Equipment & Service Joe Nocton	114 East Pearl Greensfork 47345	406	07/08/85	
2890808	Boston Restaurant Phil Dills	101 South Salem St. Boston 47324	201	07/10/85	
2890813	Kamp Dakota Sylvia Davis	Route 2 Cambridge City 47327	106	07/15/85	
2890814	Dutch Mill Cheese Shop Max Overbay	R. R. 1 Cambridge City 47327	202	07/15/85	
2890820	Economy Restaurant Leanna Reeves	Box 175 Economy 47339	201	07/16/85	
2890821	Country Store Ruby Skinner	U. S. 35 North Williamsburg 47393	406	07/16/85	
2890822	Roy & Alice's Market Alice Teter	P.O. Box 152 Pershing 47370	410	07/17/85	
2890831	Kuntry Kitchen Susie Tandy	U. S. 40 West Centerville 47330	201	08/27/85	
2890832	Wayne County Highway Garage Blair Hodowal	P.O. Box 7 Centerville 47330	406	07/22/85	
2890834	LaGrange Golf Course Jill Meyer	R. R. 2 Cambridge City 47327	412	07/15/85	
2890836	Dougherty Orchard Sandy Dougherty	Dougherty Road Cambridge City 47327	410	09/03/85	

 | NON-COMMUNITY PUBLIC WATER SYSTEMS IN INDIANA |
 | == ANNUAL SITES FAILING TO MONITOR AND REPORT == |
===== FOR THE YEAR 1987 =====

REPORT DATE: 01/13/88
 COUNTY: WAYNE

PAGE 3

THE FOLLOWING SITES DID NOT SUBMIT A
 DRINKING WATER SAMPLE ANALYSIS FOR 1987

ID	SITE NAME / CONTACT PERSON	MAILING ADDRESS/ CITY, ZIP CODE	CLASS CODE	LAST BACT DATE	SAMPLE TYPE
2890842	Doren Girl Scout Camp Owner or Operator	Centerville Rd. N. Centerville 47330	106	07/29/85	
2890846A	Highland Lake Golf Course Rose DeMao	East Highland Road Richmond 47374	412	08/01/85	
2890846B	Highland Lake Golf Course Rosa DeMao	East Highland Road Richmond 47374	412	08/01/85	
2890851	F.O.P Lodge 63 Owner or Operator	P.O. Box 423 Richmond 47374	103	08/07/85	
2890852	Tarum Shrine Club Oscar Hundley	P.O. Box 31 Richmond 47374	103	08/07/85	
2890853	Abington Store Helen Driskill	6776 Abington Pike Centerville 47330	410	08/08/85	